

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/595,451	02/19/2007	Stefan Portner	071308.0705	9931
31625 7590 01/18/2008 BAKER BOTTS L.L.P. PATENT DEPARTMENT			EXAMINER	
			GIMIE, MAHMOUD	
98 SAN JACINTO BLVD., SUITE 1500 AUSTIN, TX 78701-4039		00	ART UNIT	PAPER NUMBER
11001111,			3747	
•		•		
			MAIL DATE	DELIVERY MODE
	•	·	01/18/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

·	Application No. Applicant(s)			
Office Action Commence	10/595,451	PORTNER ET AL.		
Office Action Summary	Examiner	Art Unit		
	Mahmoud Gimie	3747		
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DATE of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  If NO period for reply is specified above, the maximum statutory period we failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be time vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status				
3) Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final.  nce except for formal matters, pro-			
Disposition of Claims		•		
4)  Claim(s) 1-20 is/are pending in the application.  4a) Of the above claim(s) is/are withdraw  5)  Claim(s) is/are allowed.  6)  Claim(s) 1-20 is/are rejected.  7)  Claim(s) is/are objected to.  8)  Claim(s) are subject to restriction and/or  Application Papers  9)  The specification is objected to by the Examine 10)  The drawing(s) filed on 4/20/04 is/are: a) acceptable and application.	r election requirement.	Examiner		
Applicant may not request that any objection to the				
Replacement drawing sheet(s) including the correct	ion is required if the drawing(s) is ob	jected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>				
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Notice of Draftsperson's Patent Drawing Review (PTO-948)  Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date 3/19/07; 2/4/07.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate		

10/595,451 Art Unit: 3747

### **DETAILED ACTION**

## **Drawings**

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the high pressure accumulator embodied in the form of a ring must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

10/595,451 Art Unit: 3747

# Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Djordjevic (US 6,345,609).

Djordjevic discloses a high pressure radial piston pump (18) for common rail injection systems comprising: a pump housing (34), - a drive shaft (38) - at least one pump piston (44), which can move in a radial direction in relation to the drive shaft and - a high pressure accumulator (22) integrated into the high pressure radial piston pump (18), wherein the high pressure accumulator (22) is embodied in the form of a ring; figure 1.

Regarding claim 2, wherein the high pressure accumulator (22) is arranged concentric in relation to the drive shaft (38).

Regarding claim 3, wherein the high pressure accumulator (22) is formed by a ring groove realized in the pump housing at the front side and sealed with a cover.

Regarding claim 4, wherein at least one metallic sealing surface is formed on the pump housing and/or on the cover (74) in order to seal the high pressure accumulator (22); see figures 3 and 4.

Application/Control Number:

10/595,451

Art Unit: 3747

Regarding claim 5, wherein characterized in that the cover (74) is connected to the pump housing (34) at least by means of one central screw (40) arranged concentric in relation to the ring groove.

Regarding claim 6, wherein characterized in that the high pressure accumulator (22) is embodied as a ring groove which is realized in the outer circumference of a rotationally symmetrical pump insert

Regarding claim 7, wherein the outer circumference of the pump insert operates together with a corresponding inner circumference surface of the pump housing.

Regarding claim 8, wherein the pump insert (74) is embodied in cylindrical form.

Regarding claim 9, comprising there is at least one high pressure connection (24) embodied on the high pressure accumulator (22) in order to supply at least one injector (26) of an internal combustion engine.

Regarding claim 10, wherein the high pressure accumulator (22) is effectively connected with a pressure control valve (52, 54) integrated into the high pressure radial piston pump or arranged on the high pressure radial piston pump.

Regarding claim 11, Djordjevic discloses a high pressure radial piston pump (18) for common rail injection systems comprising: - a pump housing (34), a drive shaft (38), at least one pump piston (44), which can move in a radial direction in relation to the drive shaft and - a ring shaped high pressure accumulator (22) integrated into the high pressure radial piston pump.

Regarding claim 12, wherein the ring shaped high pressure accumulator (22) is arranged concentric in relation to the drive shaft (34).

Application/Control Number:

10/595,451

Art Unit: 3747

Regarding claim 13, wherein the ring shaped high pressure accumulator is formed by a ring groove realized in the pump housing (34) at the front side and sealed with a cover (74).

Regarding claim 14, wherein at least one metallic sealing surface is formed on the pump housing and/or on the cover (74) in order to seal the ring shaped high pressure accumulator.

Regarding claim 15, wherein the cover is connected to the pump housing at least by means of one central screw arranged concentric in relation to the ring groove.

Regarding claim 16, wherein the ring shaped high pressure accumulator (22) is embodied as a ring groove which is realized in the outer circumference of a rotationally

symmetrical pump insert.

Regarding claim 17, wherein the outer circumference of the pump insert operates together with a corresponding inner circumference surface of the pump housing.

Regarding claim 18, wherein the pump insert is embodied in cylindrical form.

Regarding claim 19, comprising at least one high pressure connection embodied on the ring shaped high pressure accumulator in order to supply at least one injector of an internal combustion engine.

Regarding claim 20, wherein the ring shaped high pressure accumulator (22) is effectively connected with a pressure control valve (52, 54) integrated into the high pressure radial piston pump (18) or arranged on the high pressure radial piston pump.

10/595,451

**Art Unit: 3747** 

### Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The cited references disclose high pressure radial piston pumps.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mahmoud Gimie whose telephone number is 571-272-4841. The examiner can normally be reached on Monday-Friday between 7 a.m. -3:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen K. Cronin can be reached on 571-272-4536. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MG

MAHMOUD GIMIE PRIMARY EXAMINER